



# Certificate of Analysis

Sample:KN20804001-002

Harvest/Lot ID: 080122

Batch#: 080122

Seed to Sale# N/A

Batch Date: 08/01/22

Sample Size Received: 500 gram

Total Batch Size: N/A

Retail Product Size: 500 gram

Ordered : 08/01/22

Sampled : 08/01/22

Completed: 08/08/22

Sampling Method: N/A

**PASSED**

Page 1 of 1



Aug 08, 2022 | Water For Living LLC

226 N Maple st  
Corona, CA, 92878, US

PRODUCT IMAGE



SAFETY RESULTS



MISC.



## Total HHC

**PASSED**



Total HHC  
**0.0203%**

Analyzed by:  
12

Weight:  
2.0905g

Extraction date:  
08-06-22

Extracted by:  
N/A

Analysis Method : SOP.T.30.074, SOP.T.40.074  
Analytical Batch : KN002741HHC  
Instrument Used : HPLC E-SHI-153  
Running on : N/A

Reviewed On : 08/08/22 20:31:08  
Batch Date : 08/05/22 16:29:12

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Analysis Method SOP.T.30.050 Description: Total Hexahydrocannabinol (9S & 9R-HHC) analysis is performed using GC-MS with Liquid Injection (Gas Chromatography - Mass Spectrometer) Analytes ISO Pending

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

**Sue Ferguson**

Lab Director

State License # n/a  
ISO Accreditation # 17025:2017

  
Signature

08/08/22

Signed On